



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-0-1800012-TIC

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: M-4347

Issued date: 25.12.2017

Name of the Client : M/s.Sunvik Steels Pvt Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, SiraTaluk Tumkur-572125.

Sample Collected by : By us

Date of Collection : 20.12.2017

Particulars of Sample Collected : Main Gate

Date of Sample Receipt : 21.12.2017

Lab Code : M/17/12/4-31

Duration of monitoring : 8 Hours

Analysis Started on : 22.12.2017

Analysis completed on : 25.12.2017

Condition of sample when received : Good condition

Model of Equipment used for monitoring : RDS-APM460BL-411 & FPS APM 550

Serial No. Of the Equipment : 1999 DTC2011&730-DTC-2011

Calibration done and Due on : Done on 25.11.2016 and due on 23.11.2018

TEST RESULT

SL. No	TEST PARAMETERS	UNIT	TEST RESULTS	NAAQ Standards	TEST METHOD
01	Particulate Matter (less than 10 μ) PM ₁₀	$\mu\text{g}/\text{m}^3$	38.4	100	IS: 5182 (P-23)
02	Particulate Matter (less than 2.5 μ) PM _{2.5}	$\mu\text{g}/\text{m}^3$	29.6	60	EPA 40 CFR (Part 50) Appendix L
03	Sulphur Dioxide as SO ₂	$\mu\text{g}/\text{m}^3$	11.8	80	IS: 5182 (P-2)
04	Oxides of Nitrogen as NO _x	$\mu\text{g}/\text{m}^3$	26.4	80	IS: 5182 (P-6)
05	Ozone as O ₃	$\mu\text{g}/\text{m}^3$	< 20	100	IS:5182 (Part IX)
06	Lead as Pb	$\mu\text{g}/\text{m}^3$	< 0.05	1.0	IS: 5182 (P-22)
07	Arsenic as As	ng/m^3	< 0.5	6.0	Air Sampling and Analysis, 3 rd Edition Intersociety Committee
08	Nickel as Ni	ng/m^3	< 0.5	20.0	NAAQS Monitoring and Analysis Guidelines, CPCB,2011
09	Ammonia as NH ₃	$\mu\text{g}/\text{m}^3$	< 20	400	Method 401, (Air Sampling and Analysis, (3 rd Edition) Intersociety Committee
10	Carbon Monoxide as CO	mg/m^3	0.25	4.0	IS: 5182 (P-10)
11	Benzene as C ₆ H ₆	$\mu\text{g}/\text{m}^3$	< 1.0	5.0	IS: 5182 (P-11)
12	Benzo(a) Pyrene	ng/m^3	< 0.5	1.0	IS: 5182 (P-12)

INFERENCE

Report Status: - Within the NAAQ Standards

M. Srinivas
ANALYST

M. Srinivas
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-O-1800012-TIC

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: M-4348
Issued date:25.12.2017

Name of the Client : M/s.Sunvik Steels Pvt Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, SiraTaluk Tumkur-572125.

Sample Collected by : By us
Date of Collection : 20.12.2017

Particulars of Sample Collected : Labour Gate
Date of Sample Receipt : 21.12.2017

Lab Code : M/17/12/4-32
Duration of monitoring : 8 Hours

Analysis Started on : 22.12.2017
Analysis completed on : 25.12.2017

Condition of sample when received : Good condition

Model of Equipment used for monitoring : Aerovironment RDS 9000 & FPS-APM-550
Serial No. Of the Equipment : 080260 & MINI 87- DTJ-2012
Calibration done and Due on : Done on 25.11.2016 and due on 23.11.2018

TEST RESULT

SL. No	TEST PARAMETERS	UNIT	TEST RESULTS	NAAQ Standards	TEST METHOD
01	Particulate Matter (less than 10 μ) PM ₁₀	μ g/m ³	45.4	100	IS: 5182 (P-23) 2006
02	Particulate Matter (less than 2.5 μ) PM _{2.5}	μ g/m ³	25.8	60	EPA 40 CFR (Part 50) Appendix L
03	Sulphur Dioxide as SO ₂	μ g/m ³	13.9	80	IS: 5182 (P-2) 2001
04	Oxides of Nitrogen as NO _x	μ g/m ³	28.6	80	IS: 5182 (P-6) 1975
05	Ozone as O ₃	μ g/m ³	< 20	100	IS:5182 (Part IX): 1974
06	Lead as Pb	μ g/m ³	< 0.05	1.0	IS: 5182 (P-22):2004
07	Arsenic as As	ng/m ³	< 0.5	6.0	Air Sampling and Analysis, 3 rd Edition Intersociety Committee
08	Nickel as Ni	ng/m ³	< 0.5	20.0	NAAQS Monitoring and Analysis Guidelines, CPCB,2011
09	Ammonia as NH ₃	μ g/m ³	< 20	400	Method 401, (Air Sampling and Analysis, (3 rd Edition) Intersociety Committee
10	Carbon Monoxide as CO	mg/m ³	0.29	4.0	IS: 5182 (P-10)1999
11	Benzene as C ₆ H ₆	μ g/m ³	< 1.0	5.0	IS: 5182 (P-11)2011
12	Benzo(a) Pyrene	ng/m ³	< 0.5	1.0	IS: 5182 (P-12)2004

INFERENCE Report Status: - Within the NAAQ Standards

M. Suresh Kumar
ANALYST

M. Suresh Kumar
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4355
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Ore Crusher 20 TPH
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-39

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 63°C
Velocity : 7.0m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1622.4Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	49.0	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Suresh Kumar
ANALYST

M. Suresh Kumar
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4356
Issued date:25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Dolachar Screening
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-40

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 68°C
Velocity : 7.5m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1712.8Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	35.8	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. (celeem) Msraju
ANALYST

M. (celeem) Msraju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4357
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Coal Screening
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-41

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 60°C
Velocity : 7.0m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1637.0Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO.	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	38.4	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Suresh Kumar
ANALYST

M. Suresh Kumar
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4358
Issued date:25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From 160 KVA DG
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-42

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 65°C
Velocity : 7.5m/s
Stack Diameter : 0.5m
Quantity of flue gas discharge : 4800.1Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	40.8	100	IS: 11255(P-1)
02	Sulphur Dioxide as SO ₂	mg/Nm ³	28.6	150	IS: 11255(P-2)
03	Oxide of Nitrogen as NO _x	mg/Nm ³	32.8	970	IS: 11255(P-6)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Suresh Babu
ANALYST

M. Suresh Babu
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4359
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From DG (600 KVA)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-43

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 75°C
Velocity : 7.3m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1633.6Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO.	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	34.9	100	IS: 11255(P-1)
02	Sulphur Dioxide as SO ₂	mg/Nm ³	31.2	150	IS: 11255(P-2)
03	Oxide of Nitrogen as NO _x	mg/Nm ³	40.8	970	IS: 11255(P-6)

INFERENCE Report Status: Within the tolerance limits.

M. S. Raju
ANALYST

M. S. Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4360
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From (300 KVA-2 Nos)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/7-44

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 75°C
Velocity : 7.2m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1611.2Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO.	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	39.4	100	IS: 11255(P-1)
02	Sulphur Dioxide as SO ₂	mg/Nm ³	36.2	150	IS: 11255(P-2)
03	Oxide of Nitrogen as NO _x	mg/Nm ³	48.6	970	IS: 11255(P-6)

INFERENCE Report Status: Within the tolerance limits.

M. S. Raju
ANALYST

M. S. Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-0-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4361
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From (200 KVA)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-45

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 78°C
Velocity : 7.5m/s
Stack Diameter : 0.3m
Quantity of flue gas discharge : 1664.0Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	40.8	100	IS: 11255(P-1)
02	Sulphur Dioxide as SO ₂	mg/Nm ³	36.4	150	IS: 11255(P-2)
03	Oxide of Nitrogen as NO _x	mg/Nm ³	39.8	970	IS: 11255(P-6)

INFERENCE Report Status: Within the tolerance limits.

M. Sarin
ANALYST

M. Sarin
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4362
Issued date:25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Induction Furnace - 7 T (Electricity)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-46

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 170°C
Velocity : 5.8m/s
Cross Sectional area of stack : 0.2m²
Quantity of flue gas discharge : 2884.5Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	44.5	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. S. Raju
ANALYST

M. S. Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-O-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4363
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
KallambellaHobli, SiraTaluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Induction Furnace - 12 T (Electricity)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-47

GENERAL DETAILS

Ambient Temperature : 32°C
Stack Temperature : 150°C
Velocity : 4.7m/s
Stack diameter : 0.2m
Quantity of flue gas discharge : 383.3Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	50.2	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Malluraj
ANALYST

M. Msraju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4364
Issued date:25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
KallambellaHobli, SiraTaluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From AFBC Boiler of Capacity 35 TPH For CPP
(Coal & Dolochar)
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-48

GENERAL DETAILS

Ambient Temperature : 33°C
Stack Temperature : 150°C
Velocity : 6.0m/s
Diameter of the stack : 1.8m
Quantity of flue gas discharge : 39767.2Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	61.9	100	IS: 11255(P-1)

INFERENCE Report Status: Within the tolerance limits.

M. S. Raju
ANALYST

M. S. Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4365
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Cooler Discharge & De- Dusting System-II
Date of Sample Receipt : 21.12.2017
Lab Code : M/17/12/4-49

GENERAL DETAILS

Ambient Temperature : 32°C
Stack Temperature : 155°C
Velocity : 6.5m/s
Cross Sectional area of stack : 0.07 m²
Quantity of flue gas discharge : 1167.2Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	56.0	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Srinivas Raju
ANALYST

M. Srinivas Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-Q-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4366
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Cooler Discharge & De- Dusting System-I
Date of Sample Receipt : 22.12.2017
Lab Code : M/17/12/4-50

GENERAL DETAILS

Ambient Temperature : 32°C
Stack Temperature : 160°C
Velocity : 5.2m/s
Cross Sectional area of stack : 0.07m²
Quantity of flue gas discharge : 923.0Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	49.6	100	IS: 11255(P-1)

INFERENCE	Report Status: Within the tolerance limits.
-----------	---

M. Suresh Kumar
ANALYST

M. Suresh Kumar
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-O-1800012-TIC

Analysis Report of Source Emission

Test Report No:M-4367
Issued date: 25.12.2017

Name of the industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Product Separation System
Date of Sample Receipt : 22.12.2017
Lab Code : M/17/12/4-51

GENERAL DETAILS

Ambient Temperature : 32°C
Stack Temperature : 158°C
Velocity : 5.5m/s
Cross Sectional area of stack : 1.2m²
Quantity of flue gas discharge : 16813.9 Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	61.2	100	IS: 11255(P-1)

INFERENCE Report Status: Within the tolerance limits.

M. Srinivas Raju
ANALYST

M. Srinivas Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com



MINERAL ENGINEERING SERVICES



MoEF&CC Recognised Environment Laboratory
ISO 9001:2008 AND BS OHSAS 18001: 2007 Certification Valid upto 19.03.2018

ISO9001-2008
12-Q-1800012-TIC
BS-OHSAS-18001-2007
12-0-1800012-TIC

Analysis Report of Source Emission

Test Report No: M-4368
Issued date: 25.12.2017

Name of the Industry : M/s. Sunvik Steel Pvt. Ltd
Survey No.33, Jodidevarahalli Village,
Kallambella Hobli, Sira Taluk Tumkur-572125.
Sample collected by : By us
Date of Sample collected : 20.12.2017
Particulars of Sample Collected : Collected From Rotary Kiln I, II & III
Date of Sample Receipt : 22.12.2017
Lab Code : M/17/12/4-52

GENERAL DETAILS

Ambient Temperature : 32°C
Stack Temperature : 152°C
Velocity : 7.3m/s
Cross Sectional area of stack : 1.23m²
Quantity of flue gas discharge : 23197.5Nm³/hr
Analysis Started on : 22.12.2017
Analysis Completed on : 25.12.2017
Model of the Equipment used for Monitoring : Vayubodhan Stack Sampler VSS1
Serial No. of the Equipment : 338 DTH14
Calibration done on and due on : Done on 04.01.2017 and Due on 01.01.2020

TEST RESULT

SL. NO	PARAMETERS	UNIT	RESULTS	TOLERANCE LIMIT	TEST METHOD
01	Particulate Matter	mg/Nm ³	59.9	100	IS: 11255(P-1)
02	Carbon Monoxide as CO	(V/V)%	0.29	1	NDIR Method

INFERENCE Report Status: Within the tolerance limits.

M. Callender
ANALYST

M. S. Raju
HEAD OF LABORATORY

25/XXV, Club Road, Ballari-583 103, Karnataka. Tel/Fax: 08392-267421.

E-mail: mes_msraju@yahoo.co.uk

Website : www.envtest.com